


New Generations of Victoria Wireless Alarm

WITH TWO-WAY COMMUNICATION



VICTORIA 868

Victoria 868 is a one-way communication wireless security system that designed with a very simple purpose in mind to detect alarm and report them. Victoria 868 is completely wire-free, including the outside siren and strobe. *Additionally, the high powered siren and strobe attracts immediate attention to alarm activation.




STANDARD FEATURES

- Remote Control Operation
- 8 wireless zones
- 2 Wiring Zones & 1 Tamper Zones
- Panic Feature
- Auto-dialer Call Out Without Siren Trigger
- Arm / Disarm by Remote Control, Keypad or via Telephone set
- Instant or Relay Arming with Telephone
- Auto Telephone Dialer Compatible
- Programmable With Telephone
- Programmable Siren Duration
- Low Battery Indicator in Detector
- LED Memory Function to Show Activated Zone

- Instant or Delay Trigger for Zone 1
- Zone 7 can Bypass
- Zone 8 Similar as Door Bell
- Auto Rechargeable Back-up Battery
- Optional for Wireless or Wiring Gas, PIR Sensor & Smoke Detector
- Rechargeable Back-up Battery up to 24 hours
- 30 Metres Transmission Range
- Use the Hand Phone / Telephone to Call in Control Home Electrical
- Wireless Siren (Optional)
- GSM Module Enable

VICTORIA 878

Victoria 878 is a two-way communication wireless security system that provides you a combination of security, user friendly interface and with battery-powered sensors allow you to have a complete security system without running wires. Also, we offer you a wide variety of options and accessories.





STANDARD FEATURES

- Remote Control or keypad operation -
 - Fully programmable 8 wireless Zones -
 - Two-way communication -
 - 100 Metres Transmission Range -
 - Panic Feature -
- Emergency call button without siren trigger -
- Arm / Disarm by Remote Control, Keypad or via Telephone set
 - Individual Door Chime and Bypass function -
 - Programmable Siren Duration
 - Low Battery Indicator -
 - Auto Rechargeable Back-up Battery -
 - Fire, Police, Medical Alarm -
- Dual Reporting for CMS and Personal Report format CMS Reporting in Contact ID format -
- Support up to 4 personal reporting dialing numbers -

SPECIFICATION

VICTORIA 868

SPECIFICATION				
MODEL	Victoria 868	VS-868	MS-868	PIR-868
VOLTAGE	DC 12 V Adaptor	12V Alkaline Battery	12V Alkaline Battery	9V Alkaline Battery
STANDBY CURRENT	100mA	ΟμΑ	ΟμΑ	< 2.5mA
FREQUENCY	Oscillated by SAW	Oscillated by SAW	Oscillated by SAW	Oscillated by SAW
	Resonator 320	Resonator 320	Resonator 320	Resonator 320
TEMPERATURE	EI X			0°C - 40°C
BROADCAST RANGE	No obstruction 30 meters	No obstruction 30 meters	No obstruction 30 meters	No obstruction 10 meters
DIMENSION (mm)	230 x 175 x 60	62 x 38 x 16	62 x 38 x 16	91 x 63 x45
WEIGHT (gm)	1150gm	42gm	40gm	100gm

VICTORIA 878

SPECIFICATION				
MODEL	Victoria 878	VS-878	MS-878	PIR-878
VOLTAGE	3V Lithium Battery (CR123)	3V Lithium Battery (CR123)	3V CR123 Lithium Battery	3V CR123 Lithium Battery
STANDBY CURRENT	100mA	ΟμΑ	ΟμΑ	< 2.5mA
FREQUENCY	Oscillated by SAW	Oscillated by SAW	Oscillated by SAW	Oscillated by SAW
	Resonator 315	Resonator 315	Resonator 315	Resonator 315
TEMPERATURE	2	딸*	9	0°C - 40°C
BROADCAST RANGE	No obstruction 100 meters	No obstruction 100 meters	No obstruction 100 meters	No obstruction 30 meters
DIMENSION (mm)	230 x 175 x 60	30 x 82 x 22	30 x 82 x 22	91 x 63 x45
WEIGHT (gm)	1190gm	48gm	46gm	105gm

Authorised Dealer